

Lastname, First name Middle name

Name: _____

NetID: _____

Statement of integrity: *I did not, and will not, violate the rules of academic integrity on this exam.*

(Signature)

Circle your lecture time: 9:05 or 11:15

Q1: _____ 15pts _____

Q2: _____ 20pts _____

Q3: _____ 30pts _____

Q4: _____ 35pts _____

Total: _____ 100pts _____

Instructions:

- This is a 90-minute, closed-book exam; no calculators are allowed.
- There are 4 questions worth a total of 100 points ⇒
A rough time budget: Try not to spend more than 18 minutes on a 20-point question.
- Raise your hand if you have any questions.
- Use the backs of pages or ask for additional sheets of paper as necessary.
- Clarity, conciseness, and style count for credit.
- If you supply multiple answers, we will grade only *one*.
- Use only *Java* code. No credit for code written in other programming languages.
- Do not use `switch`, `break`, or `System.exit` statements.

You may find the following methods useful:

Math class: **pow, random, floor**
String class: **equals**
System class: **print, println**
JLiveRead class: **readInt, readDouble**

Question 1: (15 points)

Part (a): (7 points)

A 1-d array has the values {19, 11, 3, -2, 1, 30}. Suppose we will sort the array in *ascending* order using the *selection sort* algorithm. The first line below shows the original state of the array. Write on each subsequent line the values in the array after one iteration of the *selection sort* algorithm (an “iteration” is one pass through the outer loop of the algorithm).

Original state:	<input type="text" value="19"/>	<input type="text" value="11"/>	<input type="text" value="3"/>	<input type="text" value="-2"/>	<input type="text" value="1"/>	<input type="text" value="30"/>
After first iteration:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
After second iteration:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
After third iteration:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Part (b): (8 points)

Complete the code fragment below to find the first occurrence of a target integer value in an array of integers. Assume **x**, a 1-d array of **int** values, has been created.

```
int target= JLiveRead.readInt(); //Value to look for in the GIVEN int array x

//Find and print the location of the first occurrence of target in array x.
int k= 0;

while ( _____ )
    k++;

if ( _____ )
    System.out.println("Target found at position " + k);
else
    System.out.println("Target not found");
```

Question 2: (20 points)

Complete method `charsToInt` to convert an array of `chars` to the integer value that the array represents. The method returns the integer value. For example, the `char` array with the characters '0', '2', '0', '4' represents the integer value 204. You may use pre-defined methods from the `Math` class *only*. (But you don't have to use any pre-defined methods at all!)

Hint: Remember that we use *base 10* numbers. For example, the integer value 2014 can be obtained by the following calculation: $4 + 1*10 + 0*100 + 2*1000$.

```
/** = Integer value represented by char array digits. Assume array digits contains
 *  only digit characters (no letters, blanks, positive or negative signs, etc.)
 */
public static int charsToInt(char[] digits) {

    int value; //the value that array digits represents.
```

```
    return value;
}
```

Question 3: (30 points)

Complete classes `BadCoin` and `Q3` below to simulate the tossing of a weighted coin. Toss the coin 1000 times. Count the number of times that tails immediately follows heads. For example, in the following sequence of outcomes (heads or tails), tails immediately follows heads three times:

heads, heads, heads, tails, heads, heads, tails, tails, heads, heads, heads, tails

```
/** A weighted Coin where heads (0) shows up three times as often as tails (1) */
class BadCoin {
    private int face; //face-up: 0 is heads; 1 is tails

    /** Constructor: face has random value */
    public BadCoin() { roll(); }

    /** Assign a random value to face given the weighted property of Bad coin. */
    public void roll() {
        
    }

    /** = Get the face shown by this BadCoin. */
    public int getFace() { return face; }
}

public class Q3 {
    public static void main(String[] args) {
        //Declare and instantiate a 1-d array toss to store the sequence of outcomes.
        
        //Simulate the tossing of a BadCoin. toss[k] has the value 0 for heads or 1
        //for tails. Count the number of times that tails immediately follows heads.
        int count= 0; //no. of times tails immediately follows heads so far
        
    }
}
```

Question 4: (35 points)

Complete class **CDOrganizer** below. Class **CDOrganizer** is a client of class **Song**, which is given (you don't write code for class **Song**). Class **CDOrganizer** keeps track of the **Songs** that one wants to write to a blank CD, the length of the **Songs**, as well as the remaining time left on the CD (so that you don't try to write more than a CD can hold).

Class **Song** below shows only the variable declarations and the method headers. Assume class **Song** is implemented correctly.

```
/* Class Song */
class Song {
    private String artist;    //artist of a Song
    private String title;    //title of a Song
    private double minutes;  //minutes of a Song

    /** Constructor: assign values to fields artist, title, and minutes */
    public Song(String artist, String title, double minutes) {...}

    /** Getters */
    public String getArtist() { ... }
    public String getTitle() { ... }
    public double getMinutes() { ... }
}
```

Class **CDOrganizer** has the following variables and methods:

- Class constant **MAXsongs** has the value 30, representing the maximum number of songs on the CD
- Instance variable **minutes**: remaining minutes left on the CD (type **double**)
- Instance variable **songs**: 1-d array of the **Songs** on the CD. Array length is **MAXsongs**.
- Instance variable **time**: 2-d array of **int** with dimension **MAXsongs**-by-2. Each row stores the time of a **Song** such that the first cell is the number of minutes and the second cell is the number of seconds. For example, if the first **Song** on the CD is 3.5 minutes long, then the first row of array **time** has the values 3, 30. You may round or truncate the value for seconds as you wish.
- A constructor that has one input parameter specifying the available minutes on a blank CD. It also instantiates arrays **songs** and **time**.
- Instance method **addSong(Song s)** adds **Song s** to the next available spot in the **songs** array, update array **time**, and adjusts the amount of free time remaining on the disc. Assume there is no time gap between **Songs**.

Do not define any other instance (or class) variables or methods.

Read the incomplete class below before you start writing code! Follow the specifications above *and in the comments*. You **must** use the variable and parameter names and types as specified above.

```
public class CDOrganizer {

    public static final int MAXsongs= 30; //Maximum number of songs on the CD

    private double minutes;                //Minutes remaining on the CD

    private _____ songs; //1-d array of Songs on the CD

    private _____ time; //2-d array of time of the Songs on the CD

    //Class CDOrganizer continues on next page
```

```
//Class CDOrganizer, continued (Question 4, continued)
```

```
/** Constructor: CD has m free minutes. Instantiate arrays songs and time to  
 * hold the maximum number of Songs allowed. */  
public CDOrganizer(double m) {
```

```
}
```

```
/** Instance method addSong adds Song s to the next available spot in the songs  
 * array and updates the field minutes and the array time. If another Song of  
 * the same title is already on the CD, if there are already MAXsongs songs on  
 * the CD, or if the CD does not have enough remaining time to include Song s,  
 * then the method displays the message "ERROR!" and does not add Song s. */  
public void addSong(Song s) {
```

```
}
```