

CS412/413

Introduction to Compilers
Radu Rusina


Lecture 25: Dataflow Analysis Frameworks
02 Apr 04

Live Variable Analysis

What are the live variables at each program point?

Method:

1. Define sets of live variables
2. Build constraints
3. Solve constraints



CS 412/413 Spring 2004

Introduction to Compilers

2


Derive Constraints

Constraints for each instruction:

$$\text{in}[I] = (\text{out}[I] - \text{def}[I]) \cup \text{use}[I]$$

Constraints for control flow:

$$\text{out}[B] = \bigcup_{B' \in \text{succ}(B)} \text{in}[B']$$




CS 412/413 Spring 2004

Introduction to Compilers

3

Derive Constraints

$$\begin{aligned} L_1 &= L_2 \cup \{c\} \\ L_2 &= L_3 \cup L_{11} \\ L_3 &= (L_4 - \{x\}) \cup \{y\} \\ L_4 &= (L_5 - \{y\}) \cup \{z\} \\ L_5 &= L_6 \cup \{d\} \\ L_6 &= L_7 \cup L_9 \\ L_7 &= (L_8 - \{x\}) \cup \{y, z\} \\ L_8 &= L_9 \\ L_9 &= L_{10} - \{z\} \\ L_{10} &= L_1 \\ L_{11} &= (L_{12} - \{z\}) \cup \{x\} \end{aligned}$$




CS 412/413 Spring 2004

Introduction to Compilers

4

Initialization

$$\begin{aligned} L_1 &= L_2 \cup \{c\} \\ L_2 &= L_3 \cup L_{11} \\ L_3 &= (L_4 - \{x\}) \cup \{y\} \\ L_4 &= (L_5 - \{y\}) \cup \{z\} \\ L_5 &= L_6 \cup \{d\} \\ L_6 &= L_7 \cup L_9 \\ L_7 &= (L_8 - \{x\}) \cup \{y, z\} \\ L_8 &= L_9 \\ L_9 &= L_{10} - \{z\} \\ L_{10} &= L_1 \\ L_{11} &= (L_{12} - \{z\}) \cup \{x\} \end{aligned}$$




CS 412/413 Spring 2004

Introduction to Compilers

5

Iteration 1

$$\begin{aligned} L_1 &= L_2 \cup \{c\} \\ L_2 &= L_3 \cup L_{11} \\ L_3 &= (L_4 - \{x\}) \cup \{y\} \\ L_4 &= (L_5 - \{y\}) \cup \{z\} \\ L_5 &= L_6 \cup \{d\} \\ L_6 &= L_7 \cup L_9 \\ L_7 &= (L_8 - \{x\}) \cup \{y, z\} \\ L_8 &= L_9 \\ L_9 &= L_{10} - \{z\} \\ L_{10} &= L_1 \\ L_{11} &= (L_{12} - \{z\}) \cup \{x\} \end{aligned}$$




CS 412/413 Spring 2004

Introduction to Compilers

6

Iteration 2

$$\begin{aligned} L_1 &= L_2 \cup \{c\} \\ L_2 &= L_3 \cup L_{11} \\ L_3 &= (L_4 - \{x\}) \cup \{y\} \\ L_4 &= (L_5 - \{y\}) \cup \{z\} \\ L_5 &= L_6 \cup \{d\} \\ L_6 &= L_7 \cup L_9 \\ L_7 &= (L_8 - \{x\}) \cup \{y, z\} \\ L_8 &= L_9 \\ L_9 &= L_{10} - \{z\} \\ L_{10} &= L_1 \\ L_{11} &= (L_{12} - \{z\}) \cup \{x\} \end{aligned}$$



$$\begin{aligned} L_1 &= \{x, y, z, c, d\} \\ L_2 &= \{x, y, z, c, d\} \\ L_3 &= \{y, z, c, d\} \\ L_4 &= \{x, z, c, d\} \\ L_5 &= \{x, y, z, c, d\} \\ L_6 &= \{x, y, z, c, d\} \\ L_7 &= \{y, z, c, d\} \\ L_8 &= \{x, y, c, d\} \\ L_9 &= \{x, y, c, d\} \\ L_{10} &= \{x, y, z, c, d\} \\ L_{11} &= \{x\} \\ L_{12} &= \{\} \end{aligned}$$

CS 412/413 Spring 2004

Introduction to Compilers

7

Fixed-point!

$$\begin{aligned} L_1 &= L_2 \cup \{c\} \\ L_2 &= L_3 \cup L_{11} \\ L_3 &= (L_4 - \{x\}) \cup \{y\} \\ L_4 &= (L_5 - \{y\}) \cup \{z\} \\ L_5 &= L_6 \cup \{d\} \\ L_6 &= L_7 \cup L_9 \\ L_7 &= (L_8 - \{x\}) \cup \{y, z\} \\ L_8 &= L_9 \\ L_9 &= L_{10} - \{z\} \\ L_{10} &= L_1 \\ L_{11} &= (L_{12} - \{z\}) \cup \{x\} \\ L_{12} &= \{\} \end{aligned}$$


CS 412/413 Spring 2004

Introduction to Compilers

8

Final Result

x live here !
Final result: sets of live variables at each program point



$$\begin{aligned} L_1 &= \{x, y, z, c, d\} \\ L_2 &= \{x, y, z, c, d\} \\ L_3 &= \{y, z, c, d\} \\ L_4 &= \{x, z, c, d\} \\ L_5 &= \{x, y, z, c, d\} \\ L_6 &= \{x, y, z, c, d\} \\ L_7 &= \{y, z, c, d\} \\ L_8 &= \{x, y, c, d\} \\ L_9 &= \{x, y, c, d\} \\ L_{10} &= \{x, y, z, c, d\} \\ L_{11} &= \{x\} \\ L_{12} &= \{\} \end{aligned}$$


CS 412/413 Spring 2004

Introduction to Compilers

9

Characterize All Executions

The analysis detects that there is an execution which uses the value $x = y+1$



$$\begin{aligned} L_1 &= \{x, y, z, c, d\} \\ L_2 &= \{x, y, z, c, d\} \\ L_3 &= \{y, z, c, d\} \\ L_4 &= \{x, z, c, d\} \\ L_5 &= \{x, y, z, c, d\} \\ L_6 &= \{x, y, z, c, d\} \\ L_7 &= \{y, z, c, d\} \\ L_8 &= \{x, y, c, d\} \\ L_9 &= \{x, y, c, d\} \\ L_{10} &= \{x, y, z, c, d\} \\ L_{11} &= \{x\} \\ L_{12} &= \{\} \end{aligned}$$

CS 412/413 Spring 2004

Introduction to Compilers

10

Generalization

- Live variable analysis and detection of available copies are similar:
 - Define some information that they need to compute
 - Build constraints for the information
 - Solve constraints iteratively:
 - The information always “increases” during iteration
 - Eventually, it reaches a fixed point.
- We would like a general framework
 - Framework applicable to many other analyses
 - Live variable/copy propagation = instances of the framework

CS 412/413 Spring 2004

Introduction to Compilers

11

Dataflow Analysis Framework

- Dataflow analysis = a common framework for many compiler analyses
 - Computes some information at each program point
 - The computed information characterizes all possible executions of the program
- Basic methodology:
 - Describe information about the program using an algebraic structure called lattice
 - Build constraints which show how instructions and control flow modify the information in the lattice
 - Iteratively solve constraints

CS 412/413 Spring 2004

Introduction to Compilers

12

Lattices and Partial Orders

- Lattice definition uses the concept of **partial order relation**
- A partial order (P, \sqsubseteq) consists of:
 - A set P
 - A partial order relation \sqsubseteq which is:
 1. Reflexive $x \sqsubseteq x$
 2. Anti-symmetric $x \sqsubseteq y, y \sqsubseteq x \Rightarrow x = y$
 3. Transitive: $x \sqsubseteq y, y \sqsubseteq z \Rightarrow x \sqsubseteq z$
- Called “partial order” because not all elements are comparable

CS 412/413 Spring 2004

Introduction to Compilers

13

Lattices and Lower/Upper Bounds

- Lattice definition uses the concept of **lower and upper bounds**
- If (P, \sqsubseteq) is a partial order and $S \subseteq P$, then:
 1. $x \in P$ is a lower bound of S if $x \sqsubseteq y$, for all $y \in S$
 2. $x \in P$ is an upper bound of S if $y \sqsubseteq x$, for all $y \in S$
- There may be multiple lower and upper bounds of the same set S

CS 412/413 Spring 2004

Introduction to Compilers

14

LUB and GLB

- Define least upper bounds (LUB) and greatest lower bounds (GLB)
- If (P, \sqsubseteq) is a partial order and $S \subseteq P$, then:
 1. $x \in P$ is **GLB of S** if:
 - a) x is an lower bound of S
 - b) $y \sqsubseteq x$, for any lower bound y of S
 2. $x \in P$ is a **LUB of S** if:
 - a) x is an upper bound of S
 - b) $x \sqsubseteq y$, for any upper bound y of S
- ... are GLB and LUB unique?

CS 412/413 Spring 2004

Introduction to Compilers

15

Lattices

- A pair (L, \sqsubseteq) is a lattice if:
 1. (L, \sqsubseteq) is a partial order
 2. Any finite subset $S \subseteq L$ has a LUB and a GLB
- Can define two operators in lattices:
 1. Meet operator: $x \sqcap y = \text{GLB}\{x, y\}$
 2. Join operator: $x \sqcup y = \text{LUB}\{x, y\}$
- Meet and join are well-defined for lattices

CS 412/413 Spring 2004

Introduction to Compilers

16

Complete Lattices

- A pair (L, \sqsubseteq) is a complete lattice if:
 1. (L, \sqsubseteq) is a partial order
 2. Any subset $S \subseteq L$ has a LUB and a GLB
- Can define meet and join operators
- Can also define two special elements:
 1. Bottom element: $\perp = \text{GLB}(L)$
 2. Top element: $\top = \text{LUB}(L)$
- All finite lattices are complete

CS 412/413 Spring 2004

Introduction to Compilers

17

Example Lattice

- Consider $S = \{a, b, c\}$ and its power set $P = \{\emptyset, \{a\}, \{b\}, \{c\}, \{a, b\}, \{b, c\}, \{a, c\}, \{a, b, c\}\}$
- Define partial order as set inclusion: $X \sqsubseteq Y$
 - Reflexive $X \subseteq Y$
 - Anti-symmetric $X \subseteq Y, Y \subseteq X \Rightarrow X = Y$
 - Transitive $X \subseteq Y, Y \subseteq Z \Rightarrow X \subseteq Z$
- Also, for any two elements of P , there is a set which includes both and another set which is included in both
- Therefore (P, \sqsubseteq) is a (complete) lattice


CS 412/413 Spring 2004

Introduction to Compilers

18

Hasse Diagrams

- Hasse diagram = graphical representation of a lattice where x is below y when $x \sqsubseteq y$ and $x \neq y$




CS 412/413 Spring 2004

Introduction to Compilers

19

Power Set Lattice

- Partial order: \sqsubseteq
(set inclusion)
- Meet: \sqcap
(set intersection)
- Join: \sqcup
(set union)
- Top element: $\{a,b,c\}$
(whole set)
- Bottom element: \emptyset
(empty set)




CS 412/413 Spring 2004

Introduction to Compilers

20

Reversed Lattice

- Partial order: \sqsupseteq
(set inclusion)
- Meet: \sqcup
(set union)
- Join: \sqcap
(set intersection)
- Top element: \emptyset
(empty set)
- Bottom element: $\{a,b,c\}$
(whole set)



CS 412/413 Spring 2004

Introduction to Compilers

21

Relation To Dataflow Analysis

- Information computed by live variable analysis and available copies can be expressed as elements of lattices
- **Live variables:** if V is the set of all variables in the program and P the power set of V , then:
 - (P, \sqsubseteq) is a lattice
 - sets of live variables are elements of this lattice

CS 412/413 Spring 2004

Introduction to Compilers

22

Relation To Analysis of Programs

- **Copy Propagation:**
 - V is the set of all variables in the program
 - $V \times V$ the cartesian product representing all possible copy instructions
 - P the power set of $V \times V$
- Then:
 - (P, \sqsubseteq) is a lattice
 - sets of available copies are lattice elements

CS 412/413 Spring 2004

Introduction to Compilers

23

More About Lattices

- In a lattice (L, \sqsubseteq) , the following are equivalent:
 1. $x \sqsubseteq y$
 2. $x \sqcap y = x$
 3. $x \sqcup y = y$
- Note: meet and join operations were defined using the partial order relation

CS 412/413 Spring 2004

Introduction to Compilers

24

Proof

- Prove that $x \sqsubseteq y$ implies $x \sqcap y = x$:

- x is a lower bound of $\{x,y\}$
 - All lower bounds of $\{x,y\}$ are less than x,y
 - In particular, they are less than x

- Prove that $x \sqcap y = x$ implies $x \sqsubseteq y$:

- x is a lower bound of $\{x,y\}$
 - x is less than x and y
 - In particular, x is less than y

CS 412/413 Spring 2004

Introduction to Compilers

25

Proof

- Prove that $x \sqsubseteq y$ implies $x \sqcup y = y$:

- y is an upper bound of $\{x,y\}$
 - All upper bounds of $\{x,y\}$ greater than x,y
 - In particular, they are greater than y

- Prove that $x \sqcup y = y$ implies $x \sqsubseteq y$:

- y is an upper bound of $\{x,y\}$
 - y is greater than x and y
 - In particular, y is greater than x

CS 412/413 Spring 2004

Introduction to Compilers

26

Properties of Meet and Join

- The meet and join operators are:

1. Associative $(x \sqcap y) \sqcap z = x \sqcap (y \sqcap z)$
2. Commutative $x \sqcap y = y \sqcap x$
3. Idempotent: $x \sqcap x = x$

- **Property:** If " \sqcap " is an associative, commutative, and idempotent operator, then the relation " \sqsubseteq " defined as $x \sqsubseteq y$ iff $x \sqcap y = x$ is a partial order

- Above property provides an alternative definition of a partial orders and lattices starting from the meet (join) operator

CS 412/413 Spring 2004

Introduction to Compilers

27

Using Lattices

- Assume information we want to compute in a program is expressed using a lattice L

- To compute the information at each program point we need to:

- Determine how each instruction in the program changes the information in the lattice
 - Determine how lattice information changes at join/split points in the control flow

CS 412/413 Spring 2004

Introduction to Compilers

28

Transfer Functions

- Dataflow analysis defines a transfer function $F : L \rightarrow L$ for each instruction in the program
- Describes how the instruction modifies the information in the lattice
- Consider $in[I]$ is information before I , and $out[I]$ is information after I
- Forward analysis: $out[I] = F(in[I])$
- Backward analysis: $in[I] = F(out[I])$

CS 412/413 Spring 2004

Introduction to Compilers

29

Basic Blocks

- Can extend the concept of transfer function to basic blocks using function composition

- Consider:

- Basic block B consists of instructions (I_1, \dots, I_n) with transfer functions F_1, \dots, F_n
 - $in[B]$ is information before B
 - $out[B]$ is information after B

- Forward analysis: $out[B] = F_n(\dots(F_1(in[B])))$
- Backward analysis: $in[B] = F_1(\dots(F_n(out[i])))$

CS 412/413 Spring 2004

Introduction to Compilers

30

Split/Join Points

- Dataflow analysis uses meet/join operations at split/join points in the control flow
- Consider $\text{in}[B]$ is lattice information at beginning of block B and $\text{out}[B]$ is lattice information at end of B
- Forward analysis: $\text{in}[B] = \sqcap \{\text{out}[B'] \mid B' \in \text{pred}(B)\}$
- Backward analysis: $\text{out}[B] = \sqcup \{\text{in}[B'] \mid B' \in \text{succ}(B)\}$
- Can alternatively use join operation \sqcup (equivalent to using the meet operation \sqcap in the reversed lattice)